



TYRE CATALOGUE



KING OF TYRES

ATTITUDE IS THE PRODUCT OF BELIEF

TBR

2020

POWERED BY
 **ETD**

WWW.ETD.NL



THE POWER OF LEAO TYRES

As the King of Tyres, LEAO offers you the perfect tyres to rule any terrain. Whether you are looking for TBR, AGR or OTR tyres, LEAO tyres guarantee economical prices, excellent quality and 100% reliability.

The lion in the logo reflects exactly what it is all about: the excellent, nearly “royal” capabilities provided by LEAO tyres. LEAO tyres match the requirements and desires of many different users perfectly and they have proven their value on all types of surfaces and under all weather conditions.

The broad range of modern LEAO patterns is continuously adapted to the demands of the European market. This makes LEAO a brand with state-of-the-art patterns ready to attack the terrain.

If you are looking for an excellent value-for-money option, LEAO tyres is the brand to choose as nothing beats a lion!

More information: www.leao-tyres.com



REGIONAL

STEER



ATL812

PAGE 6



KLS200

PAGE 6



KTS300

PAGE 7

DRIVE



ADL831

PAGE 7



D905

PAGE 8



D915

PAGE 8



KLD200

PAGE 9



KTD300

PAGE 9

TRAILER



A928

PAGE 10



AFL827

PAGE 10



KLT200

PAGE 11



LLA18

PAGE 11



LLA28

PAGE 12

ALL-POSITION



AFL866

PAGE 12



F820

PAGE 13



F860

PAGE 13



LLA78

PAGE 14



LLF01

PAGE 14



LLF26

PAGE 15



LLF56+

PAGE 15

LONG HAUL

STEER



ETS100

PAGE 16

DRIVE



ETD100

PAGE 16

TRAILER



ETT100

PAGE 17



T820

PAGE 17



T830

PAGE 18

ALL-POSITION



F830

PAGE 18

ON & OFF-ROAD

ALL-POSITION



A908

PAGE 19



A918

PAGE 19



A938

PAGE 20



D960

PAGE 20



KMA400

PAGE 21



KMD406

PAGE 21



KXA400

PAGE 22



LLA01

PAGE 22



LLA08

PAGE 23



LLA38

PAGE 23

WINTER

STEER



KWS600

PAGE 24

DRIVE



KWD600

PAGE 24

ATL812



RADIAL TRUCK TYRE FOR REGIONAL USE

- LONG LIFE SPAN
- RETREADABLE
- LOW ECCENTRIC WEAR
- EXCELLENT STEERING



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
295/80R22.5 TL	154/149M	18PR	17	298	1044
315/70R22.5 TL	156/150L	18PR	16	312	1014
315/80R22.5 TL	156/150M	20PR	17	312	1076

KLS200



RADIAL TRUCK TYRE FOR REGIONAL USE

- LONG LIFE SPAN
- RETREADABLE
- LOW ECCENTRIC WEAR



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
215/75R17.5 TL	126/124M	14PR	12.5	212	767
225/75R17.5 TL	129/127M	14PR	12.5	226	783
235/75R17.5 TL	132/130M	14PR	12.5	233	797
245/70R17.5 TL	136/134M	16PR	12.5	248	789
245/70R19.5 TL	136/134M	16PR	12.5	255	839
265/70R19.5 TL	140/138M	16PR	13.5	262	867
285/70R19.5 TL	146/144M	18PR	13.5	283	895
305/70R19.5 TL	148/145M	18PR	13.5	305	923



MULTI
SIPES
DESIGN

KTS300



STEER TYRE FOR NATIONAL AND REGIONAL TRANSPORT

- HIGH WEAR RESISTANCE
- STONE REJECTION OPTIMIZED
- MODERN AND ROBUST SHOULDER DESIGN
- EXCELLENT GRIP AND STABILITY



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
295/60R22.5 TL	150/147L	16PR	14	292	926
295/80R22.5 TL	154/149M	18PR	14.5	298	1044
315/60R22.5 TL	152/148L	16PR	14.5	313	950
315/70R22.5 TL	156/150L 154/150M	18PR	15.5	312	1014
315/80R22.5 TL	158/150L 154/150M	22PR	15.5	312	1076
385/55R22.5 TL	160K 158L	20PR	13.5	386	996
385/65R22.5 TL	164K 158L	24PR	15.5	389	1072



ADL831



TYRE WITH VERY GOOD MILEAGE AND THEREFORE ECONOMICAL IN USE

- TYPICAL BLOCK PATTERN DESIGN WHICH RESULTS IN GOOD GRIP ON WET AND DRY ROADS
- GOOD WEAR RESISTANCE AND LONG PRODUCT LIFE
- RETREADABLE



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
215/75R17.5 TL	135/133J	16PR	16	211	767
235/75R17.5 TL	143/141J	18PR	17	233	797
245/70R17.5 TL	143/141J	18PR	18	248	789
285/70R19.5 TL	146/144M	18PR	19	283	895
315/80R22.5 TL	156/150L	20PR	23	312	1076

D905



TYPICAL BLOCK PATTERN WHICH IS RECOMMENDED FOR REGIONAL HIGHWAY AND PICK-UP/DELIVERY USAGE

- TYPICAL BLOCK PATTERN DESIGN SUITABLE FOR DRIVE AXLES OF TRUCKS RUNNING ON HIGHWAYS
- GOOD BRAKING AND GREAT GRIP ON WET ROADS



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
215/75R17.5 TL	126/124M	14PR	15	212	767
235/75R17.5 TL	143/141J	18PR	15.5	233	797
235/75R17.5 TL	132/130M	14PR	15	233	797
285/70R19.5 TL	150/147J	18PR	16	283	895
285/70R19.5 TL	146/144M	18PR	16	283	895
295/80R22.5 TL	152/148M	16PR	17.5	298	1044

D915



TYPICAL BLOCK PATTERN DESIGN SUITABLE FOR DRIVE AXLES FOR TRUCKS DRIVING ON THE HIGHWAY

- SUITABLE FOR DRIVING AXLE
- GOOD BRAKING AND GREAT GRIP ON WET ROADS
- LONG PRODUCT LIFE



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
315/60R22.5 TL	152/148M	16PR	19.5	313	950

KLD200



RADIAL TRUCK TYRE FOR REGIONAL USE

- SUITABLE FOR SMALL TRUCKS
- SPECIFICALLY DESIGNED FOR REGIONAL USE
- COMPOUND DEVELOPED FOR EXCELLENT PERFORMANCE ON HIGH-GRADE ROADS



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
215/75R17.5 TL	126/124M	14PR	12.5	212	767
225/75R17.5 TL	129/127M	14PR	14.5	222	784
235/75R17.5 TL	132/130M	14PR	14.5	233	797
245/70R17.5 TL	136/134M	16PR	14.5	248	789
245/70R19.5 TL	136/134M	16PR	14.5	255	839
265/70R19.5 TL	140/138M	16PR	15.5	262	867
285/70R19.5 TL	146/144M	18PR	13.5	283	895
305/70R19.5 TL	148/145M	18PR	13.5	305	923



KTD300




SUITABLE FOR THE DRIVE AXLES OF TRUCKS WITH A WIDE RANGE OF USE

- EXCELLENT DRAINAGE
- GOOD WET TRACTION
- TYPICAL BLOCK PATTERN DESIGN



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
295/60R22.5 TL	150/147L	16PR	18	292	926
295/80R22.5 TL	152/148M	16PR	20.5	298	1044
315/60R22.5 TL	152/148L	16PR	19.5	313	950
315/70R22.5 TL	156/150L 154/150M	20PR	20	312	1014
315/80R22.5 TL	156/150L 154/150M	20PR	22	312	1076



REGIONAL TRAILER


A928



SPECIAL DESIGN FOR TRUCKS WHICH DRIVE ON THE HIGHWAY

- SPECIFICALLY FOR TRUCKS OF DIFFERENT TONNAGES WHICH RUN ON HIGHWAYS
- STABLE AND SAFE WHEN RUNNING ON WET AND SLIPPERY ROADS



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
385/55R22.5 TL	160J 158L	20PR	16.5	386	996
385/65R22.5 TL	164J 	24PR	16.5	389	1072

AFL827



RADIAL TRUCK TYRE FOR REGIONAL USE

- LOW ECCENTRIC WEAR
- LOW FUEL CONSUMPTION
- EXCELLENT HANDLING
- REDUCED TYRE WEIGHT



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
385/65R22.5 TL	164J 	24PR	13	389	1072

KLT200



RADIAL TRUCK TYRE MOST SUITABLE FOR REGIONAL TRAILER USE

- SUITABLE FOR SMALLER TRUCKS
- SPECIAL DESIGN FOR HIGH-GRADE ROADS
- LOW ROLLING RESISTANCE
- EXCELLENT STABILITY



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
205/65R17.5 TL	129/127J 132/130G	16PR	12.5	205	711
215/75R17.5 TL	135/133J	16PR	12.5	212	767
235/75R17.5 TL	143/141J	18PR	12.5	233	797
245/70R17.5 TL	143/141J	18PR	12.5	248	789

SPECIAL TREAD DESIGN WITH STRONG RIBS

LLA18



RADIAL TRUCK TYRE MOST SUITABLE FOR TRAILER USE

- SUITABLE FOR TRUCKS RUNNING ON HIGH-GRADE ROADS
- LOW ROLLING RESISTANCE
- EXCELLENT STABILITY
- TYRE CAN ALSO BE USED AS ALL-POSITION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
385/65R22.5 TL	160J	20PR	16.5	389	1072

LLA28



SUITABLE FOR TRUCKS OF DIFFERENT TONNAGES WHICH DRIVE ON THE HIGHWAY

- EXCELLENT HANDLING
- LOW FUEL CONSUMPTION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
425/65R22.5 TL	165J	20PR	17.5	430	1124

AFL866



ALL-POSITION TYRE SUITABLE FOR LIGHT TRUCKS WITH EXTRA WIDE TREAD DESIGN

- ZIG-ZAG GROOVES FOR EXCELLENT HANDLING
- EXTRA WIDE TREAD DESIGN FOR HIGH MILEAGE
- OPTIMIZED STRUCTURE



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
205/65R17.5 TL	129/127J 132/130G	16PR	12.5	205	711
215/75R17.5 TL	135/133J	16PR	14.5	212	767
215/75R17.5 TL	126/124M	14PR	14.5	212	767
245/70R17.5 TL	143/141J	18PR	14.5	248	789

REGIONAL ALL-POSITION

F820



RECOMMENDED FOR REGIONAL AND PICK UP/DELIVERY USAGE

- LOW FUEL CONSUMPTION
- STABLE AND SAFE WHEN DRIVING ON WET AND SLIPPERY ROADS
- SUITABLE FOR ALL POSITIONS



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
205/75R17.5 TL	124/122M	14PR	13	205	753
245/70R19.5 TL	136/134M	16PR	13	255	839
265/70R19.5 TL	143/141J	18PR	13.5	262	867
265/70R19.5 TL	140/138M	16PR	13.5	262	867
285/70R19.5 TL	150/147J	18PR	14	283	895
285/70R19.5 TL	146/144M	18PR	14	283	895
255/70R22.5 TL	140/137M	16PR	14	255	930
275/70R22.5 TL	150/148M	16PR	14.5	276	958

F860



DESIGNED FOR ALL-POSITION USAGE ON BUSES AND TRUCKS

- HIGH SPEED PERFORMANCE
- SPECIAL DESIGN FOR ALL POSITIONS OF BUSES AND TRUCKS
- GOOD SIDE-WEAR RESISTANCE



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
295/80R22.5 TL	154/149M	18PR	16	298	1044
315/70R22.5 TL	156/150L 154/150M	18PR	15.5	312	1014
315/80R22.5 TL	158/150L 154/150M	22PR	16.5	312	1076

REGIONAL ALL-POSITION

LLA78



SUITABLE FOR ALL POSITIONS OF TRUCKS AND BUSES RUNNING ON THE HIGHWAY

- LOW ROLLING RESISTANCE
- SUITABLE FOR TRUCKS OF DIFFERENT TONNAGES
- STABLE AND SAFE ON WET AND SLIPPERY ROADS



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
235/75R17.5 TL	143/141J	18PR	13	233	797
235/75R17.5 TL	132/130M	14PR	13	233	797

LLF01



SPECIAL DESIGN FOR TRUCKS OF DIFFERENT TONNAGES WHICH DRIVE ON THE HIGHWAY

- SUITABLE FOR TRUCKS OF DIFFERENT TONNAGES
- STABLE AND SAFE ON WET AND SLIPPERY ROADS
- LOW FUEL CONSUMPTION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
11R22.5 TL	148/145M	16PR	14.5	279	1054
275/80R22.5 TL	149/146M	16PR	14.5	276	952

LLF26

SUITABLE FOR ALL POSITIONS OF TRUCKS AND BUSES DRIVING ON HIGH-GRADE ROADS

- EXCELLENT HANDLING
- LOW ROLLING RESISTANCE
- LOW FUEL CONSUMPTION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
7.50R20 TT SET	130/128K	14PR	11.5	216	939
8.25R20 TT SET	136/134L	14PR	14.5	236	965



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
9.5R17.5 TL	143/141J	18PR	12	240	842

LLF56+

SUITABLE FOR ALL POSITIONS OF TRUCKS DRIVING ON THE HIGHWAY

- LONG PRODUCT LIFE
- GOOD BRAKING AND GRIP ON WET ROADS
- OPTIMIZED FOOTPRINT FOR EVEN WEAR



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
10R22.5 TL	144/142L	14PR	14	254	1020

ETS100



SUITABLE FOR THE STEER AXLE OF TRUCKS DRIVING WITH HIGH SPEED ON THE HIGHWAY

- LOW ROLLING RESISTANCE
- REDUCED FUEL CONSUMPTION
- LASTING GRIP AND STABILITY WITH ITS HIDDEN GROOVE DESIGN
- EXCELLENT MILEAGE FOR LONG DISTANCE TRANSPORTATION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
295/60R22.5 TL	150/147L	16PR	13	292	926
295/80R22.5 TL	154/149M	18PR	13	298	1044
315/60R22.5 TL	152/148L	16PR	15	312	1076
315/70R22.5 TL	156/150L 154/150M	18PR	15	312	1014
315/80R22.5 TL	158/150L 154/150M	22PR	15	312	1076
385/55R22.5 TL	160K 158L	20PR	12	386	996



ETD100



SUITABLE FOR DRIVE AXLE ON TRUCKS DRIVING WITH HIGH SPEED ON HIGHWAYS

- LOW ROLLING RESISTANCE
- REDUCED FUEL CONSUMPTION
- LASTING GRIP AND STABILITY WITH ITS HIDDEN GROOVE DESIGN
- M+S AND 3PMSF MARKING
- EXCELLENT MILEAGE FOR LONG DISTANCE TRANSPORTATION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
295/60R22.5 TL	150/147L	16PR	16	292	926
295/80R22.5 TL	152/148M	16PR	20.5	298	1044
315/60R22.5 TL	152/148L	16PR	16.5	313	950
315/70R22.5 TL	156/150L 154/150M	18PR	16.5	312	1014
315/80R22.5 TL	156/150L 154/150M	20PR	17	312	1076



LONG HAUL TRAILER

ETT100

M+S



SPECIAL DESIGN FOR TRUCK DRIVING LONG DISTANCE TRANSPORTS

- LOW ROLLING RESISTANCE WHICH REDUCES FUEL CONSUMPTION
- LASTING GRIP AND STABILITY
- HIDDEN GROOVE DESIGN
- EXCELLENT MILEAGE



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
385/55R19.5 TL	156J	18PR	12.5	386	919
435/50R19.5 TL	160J	20PR	12.5	438	931
445/45R19.5 TL	160J	20PR	15.5	446	895
385/55R22.5 TL	160K 158L	20PR	12	386	996
385/65R22.5 TL	164K 158L	24PR	13.5	389	1072
425/65R22.5 TL	165K	20PR	14.5	430	1124

INNOVATIVE
TREAD PATTERN

T820



TYPICAL TRAILER TYRES SUITABLE FOR TRUCKS
DRIVING ON THE HIGHWAY AND HIGH-GRADE ROADS

- LOW ROLLING RESISTANCE
- EXCELLENT STABILITY ON WET ROAD CONDITIONS
- LOW FUEL CONSUMPTION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
305/70R19.5 TL	148/145M	18PR	12.5	305	923
385/55R19.5 TL	156J	18PR	12.5	386	919
435/50R19.5 TL	160J	20PR	12.5	438	931
445/45R19.5 TL	160J	20PR	15.5	446	898

T830

M+S



**TYPICAL TRAILER TYRES SUITABLE FOR TRUCKS
DRIVING ON THE HIGHWAY AND HIGH-GRADE ROADS**

- LOW ROLLING RESISTANCE
- EXCELLENT STABILITY ON WET ROAD CONDITIONS
- LOW FUEL CONSUMPTION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
385/55R22.5 TL	160J	20PR	15.5	386	996

F830



**SUITABLE FOR ALL-POSITION OF BUSES AND
TRUCKS DRIVING ON THE HIGHWAY**

- COMBINED PATTERN
- SUITABLE FOR TRUCKS OF DIFFERENT TONNAGES WHICH RUN ON
HIGHWAYS OR NORMAL ROADS
- IT CAN ALSO HANDLE BAD ROAD CONDITIONS



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
700R16LT TT SET	117/116L	14PR	10.5	200	775

A908



TYPICAL ALL-POSITION PATTERN SUITABLE FOR TRUCKS WHICH DRIVE ON THE HIGHWAY

- COMBINED PATTERN
- SUITABLE FOR TRUCKS OF DIFFERENT TONNAGES WHICH RUN ON HIGHWAYS OR NORMAL ROADS
- IT CAN ALSO HANDLE BAD ROAD CONDITIONS



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
13R22.5 TL	156/150G 154/150K	18PR	17.5	320	1124

A918



TYPICAL ALL-POSITION PATTERN SUITABLE FOR TRUCKS WHICH DRIVE ON THE HIGHWAY

- COMBINED PATTERN
- SUITABLE FOR TRUCKS OF DIFFERENT TONNAGES WHICH RUN ON HIGHWAYS OR NORMAL ROADS
- IT CAN ALSO HANDLE BAD ROAD CONDITIONS



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
315/80R22.5 TL	158/150L 154/150M	22PR	17.5	312	1076

A938



SPECIAL DESIGN FOR TRUCKS DRIVING ON THE HIGHWAY

- SPECIFICALLY FOR TRUCKS OF DIFFERENT TONNAGES WHICH RUN ON HIGHWAYS
- STABLE AND SAFE WHEN USED ON WET AND SLIPPERY ROADS



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
385/65R22.5 TL	164J	24PR	16.5	389	1072

D960



RADIAL TRUCK TYRE FOR ON- AND OFF-ROAD USE

- CUT RESISTANT
- RIGID BLOCK DESIGN
- EXCELLENT TRACTION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
13R22.5 TL	156/150K	18PR	21	320	1124
315/80R22.5 TL	156/150L	20PR	15.5	312	1076

KMA400




RADIAL TRUCK TYRE FOR ON- AND OFF-ROAD USE

- THICK SIDEWALL FOR EXCELLENT PROTECTION AGAINST IMPACTS AND BRUISES
- STONE REJECTION DESIGN PROTECTS TYRE FROM STONE PUNCTURE
- EXCELLENT GRIP
- M+S AND 3PMSF



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
13R22.5 TL	156/150K	18PR	19	320	1124
295/80R22.5 TL	152/148K	16PR	19	298	1044
315/80R22.5 TL	158/150K	22PR	19	312	1076
425/65R22.5 TL	165K	20PR	18.5	430	1124
445/65R22.5 TL	169K	20PR	18.5	444	1150

OPTIMIZED BIG AND STRONG BLOCK



KMD406



RADIAL TRUCK TYRE FOR ON- AND OFF-ROAD USE

- OPTIMAL DESIGN TO PREVENT PUNCTURES AND CUTS
- ROBUST PATTERN TO IMPROVE GRIP
- STONE REJECTION DESIGN



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
13R22.5 TL	156/150K	18PR	19	320	1124
315/80R22.5 TL	156/150K	20PR	19	312	1076



KXA400



RADIAL TRUCK TYRE FOR ON- AND OFF-ROAD USE

- EXCELLENT GRIP AND STABILITY
- STONE REJECTION DESIGN
- THICK SIDEWALL FOR EXCELLENT PROTECTION AGAINST IMPACTS AND BRUISES



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
385/65R22.5 TL	164J	24PR	16.5	389	1072
425/65R22.5 TL	165K	20PR	16.5	430	1124



LLA01



TYPICAL ON- AND OFF-ROAD TYRE SUITABLE FOR TRUCKS DRIVING ON MIXED UNDERGROUNDS

- TYPICAL COMBINED PATTERN
- CUT RESISTANT COMPOUND
- GOOD BRAKING AND EXCELLENT GRIP



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
13R22.5 TL	156/150K	18PR	17.5	320	1124

LLA08



TYPICAL ALL-POSITION PATTERN SUITABLE FOR TRUCKS WHICH DRIVE ON THE HIGHWAY AND NORMAL ROADS

- TYPICAL COMBINED PATTERN
- SUITABLE FOR TRUCKS OF DIFFERENT TONNAGES WHICH RUN ON HIGHWAYS AND NORMAL ROADS
- STRONG WEAR RESISTANCE
- LOW HEAT GENERATION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
12.00R20 TT SET	154/151K	18PR	17	315	1125
11R22.5 TL	148/145K	16PR	15.5	279	1054
12R22.5 TL	152/148K	16PR	17	300	1084
315/80R22.5 TL	156/150L	20PR	17	312	1076
12.00R24 TL	156/153K	18PR	17	313	1226
12.00R24 TT SET	156/153K	18PR	17	313	1226

LLA38



SUITABLE FOR TRUCKS WHICH DRIVE ON THE HIGHWAY

- LOW ROLLING RESISTANCE
- SUITABLE FOR TRUCKS OF DIFFERENT TONNAGES
- LOW FUEL CONSUMPTION



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
385/55R22.5	160J	20PR	16.5	386	996
385/65R22.5	164J	24PR	16.5	389	1072
425/65R22.5	165J	20PR	17.5	430	1124
445/65R22.5	169J	20PR	18	454	1150

KWS600




RADIAL TRUCK TYRE FOR ICE AND SNOW

- EXCELLENT GRIP
- OUTSTANDING STABILITY
- GREAT HANDLING AND BRAKING



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
295/80R22.5 TL	154/149M	18PR	16	298	1044
315/70R22.5 TL	156/150L 154/150M	18PR	15	312	1014
315/80R22.5 TL	158/150L 154/150M	22PR	15.5	312	1076
385/55R22.5 TL	160K 158K	20PR	14.5	386	996
385/65R22.5 TL	164K 158L	24PR	15.5	389	1072



KWD600




RADIAL TRUCK TYRE FOR ICE AND SNOW

- LASTING GRIP
- EXCELLENT STABILITY
- OPTIMAL HANDLING AND BRAKING IN WINTER CONDITIONS



TYRE SIZE		PLY RATING	TREAD DEPTH (MM)	SECTION WIDTH (MM)	OUTER DIAMETER (MM)
SIZE	LOAD / SPEED				
295/80R22.5 TL	152/148M	16PR	22	298	1044
315/70R22.5 TL	156/150L 154/150M	18PR	22	312	1014
315/80R22.5 TL	156/150L 154/150M	20PR	22	312	1076



SIZE OVERVIEW

SIZE	PATTERN	LOAD / SPEED	PAGE	SIZE	PATTERN	LOAD / SPEED	PAGE
9.5R17.5 TL	LLF26	143/141J	15	285/70R19.5 TL	F820	146/144M	13
205/65R17.5 TL	AFL866	129/127J 132/130G	12	285/70R19.5 TL	F820	150/147J	13
205/65R17.5 TL	KLT200	129/127J 132/130G	11	285/70R19.5 TL	KLD200	146/144M	9
205/75R17.5 TL	F820	124/122M	13	285/70R19.5 TL	KLS200	146/144M	6
215/75R17.5 TL	ADL831	135/133J	7	305/70R19.5 TL	KLD200	148/145M	9
215/75R17.5 TL	AFL866	135/133J	12	305/70R19.5 TL	KLS200	148/145M	6
215/75R17.5 TL	AFL866	126/124M	12	305/70R19.5 TL	T820	148/145M	17
215/75R17.5 TL	D905	126/124M	8	385/55R19.5 TL	ETT100	156J	17
215/75R17.5 TL	KLD200	126/124M	9	385/55R19.5 TL	T820	156J	17
215/75R17.5 TL	KLS200	126/124M	6	435/50R19.5 TL	ETT100	160J	17
215/75R17.5 TL	KLT200	135/133J	11	435/50R19.5 TL	T820	160J	17
225/75R17.5 TL	KLD200	129/127M	9	445/45R19.5 TL	ETT100	160J	17
225/75R17.5 TL	KLS200	129/127M	6	445/45R19.5 TL	T820	160J	17
235/75R17.5 TL	ADL831	143/141J	7	255/70R22.5 TL	F820	140/137M	13
235/75R17.5 TL	D905	143/141J	8	275/70R22.5 TL	F820	150/148M	13
235/75R17.5 TL	D905	132/130M	8	275/80R22.5 TL	LLF01	149/146M	14
235/75R17.5 TL	KLD200	132/130M	9	295/60R22.5 TL	ETD100	150/147L	16
235/75R17.5 TL	KLS200	132/130M	6	295/60R22.5 TL	ETS100	150/147L	16
235/75R17.5 TL	KLT200	143/141J	11	295/60R22.5 TL	KTD300	150/147L	9
235/75R17.5 TL	LLA78	143/141J	14	295/60R22.5 TL	KTS300	150/147L	7
235/75R17.5 TL	LLA78	132/130M	14	295/80R22.5 TL	F860	154/149M	13
245/70R17.5 TL	ADL831	143/141J	7	295/80R22.5 TL	ATL812	154/149M	6
245/70R17.5 TL	AFL866	143/141J	12	295/80R22.5 TL	D905	152/148M	8
245/70R17.5 TL	KLD200	136/134M	9	295/80R22.5 TL	ETD100	152/148M	16
245/70R17.5 TL	KLS200	136/134M	6	295/80R22.5 TL	ETS100	154/149M	16
245/70R17.5 TL	KLT200	143/141J	11	295/80R22.5 TL	KMA400	152/148K	21
245/70R19.5 TL	F820	136/134M	13	295/80R22.5 TL	KTD300	152/148M	9
245/70R19.5 TL	KLD200	136/134M	9	295/80R22.5 TL	KTS300	154/149M	7
245/70R19.5 TL	KLS200	136/134M	6	295/80R22.5 TL	KWD600	152/148M	24
265/70R19.5 TL	F820	140/138M	13	295/80R22.5 TL	KWS600	154/149M	24
265/70R19.5 TL	F820	143/141J	13	315/60R22.5 TL	D915	152/148M	8
265/70R19.5 TL	KLD200	140/138M	9	315/60R22.5 TL	ETD100	152/148L	16
265/70R19.5 TL	KLS200	140/138M	6	315/60R22.5 TL	ETS100	152/148L	16
285/70R19.5 TL	ADL831	146/144M	7	315/60R22.5 TL	KTD300	152/148L	9
285/70R19.5 TL	D905	150/147J	8	315/60R22.5 TL	KTS300	152/148L	7
285/70R19.5 TL	D905	146/144M	8	315/70R22.5 TL	ATL812	156/150L	6

SIZE OVERVIEW

SIZE	PATTERN	LOAD / SPEED	PAGE	SIZE	PATTERN	LOAD / SPEED	PAGE
315/70R22.5 TL	ETD100	156/150L 154/150M	16	425/65R22.5 TL	ETT100	165K	17
315/70R22.5 TL	ETS100	156/150L 154/150M	16	425/65R22.5 TL	KMA400	165K	21
315/70R22.5 TL	F860	156/150L 154/150M	13	425/65R22.5 TL	KXA400	165K	22
315/70R22.5 TL	KTD300	156/150L 154/150M	9	425/65R22.5 TL	LLA28	165J	12
315/70R22.5 TL	KTS300	156/150L 154/150M	7	425/65R22.5 TL	LLA38	165J	23
315/70R22.5 TL	KWD600	156/150L 154/150M	24	445/65R22.5 TL	KMA400	169K	21
315/70R22.5 TL	KWS600	156/150L 154/150M	24	445/65R22.5 TL	LLA38	169J	23
315/80R22.5 TL	A918	158/150L 154/150M	19				
315/80R22.5 TL	ADL831	156/150L	7	10R22.5 TL	LLF56+	144/142L	15
315/80R22.5 TL	ATL812	156/150M	6	11R22.5 TL	LLA08	148/145K	23
315/80R22.5 TL	D960	156/150L	20	11R22.5 TL	LLF01	148/145M	14
315/80R22.5 TL	ETD100	156/150L 154/150M	16	12R22.5 TL	LLA08	152/148K	23
315/80R22.5 TL	ETS100	158/150L 154/150M	16	13R22.5 TL	A908	156/150G 154/150K	19
315/80R22.5 TL	F860	158/150L 154/150M	13	13R22.5 TL	D960	156/150K	20
315/80R22.5 TL	KMA400	158/150K	21	13R22.5 TL	KMA400	156/150K	21
315/80R22.5 TL	KMD406	156/150K	21	13R22.5 TL	KMD406	156/150K	21
315/80R22.5 TL	KTD300	156/150L 154/150M	9	13R22.5 TL	LLA01	156/150K	22
315/80R22.5 TL	KTS300	158/150L 154/150M	7				
315/80R22.5 TL	KWD600	156/150L 154/150M	24	7.00R16LT TT SET	F830	117/116L	18
315/80R22.5 TL	KWS600	158/150L 154/150M	24	7.50R20 TT SET	LLF26	130/128K	15
315/80R22.5 TL	LLA08	156/150L	23	8.25R20 TT SET	LLF26	134/134L	15
385/55R22.5 TL	ETS100	160K 158L	16	12.00R20 TT SET	LLA08	154/151K	23
385/55R22.5 TL	T830	160J	18	12.00R24 TL	LLA08	156/153K	23
385/55R22.5 TL	A928	160J 158L	10	12.00R24 TT SET	LLA08	156/153K	23
385/55R22.5 TL	ETT100	160K 158L	17				
385/55R22.5 TL	KTS300	160K 158L	7				
385/55R22.5 TL	KWS600	160K 158K	24				
385/55R22.5 TL	LLA38	160J	23				
385/65R22.5 TL	A928	164J	10				
385/65R22.5 TL	A938	164J	20				
385/65R22.5 TL	AFL827	164J	10				
385/65R22.5 TL	ETT100	164K 158L	17				
385/65R22.5 TL	KTS300	164K 158L	7				
385/65R22.5 TL	KWS600	164K 158L	24				
385/65R22.5 TL	KXA400	164J	22				
385/65R22.5 TL	LLA18	160J	11				
385/65R22.5 TL	LLA38	164J	23				

Disclaimer

The information in this brochure is based on our manufacturer's specifications. This information is for general information purposes only. Any reliance you place on the information shown in this brochure is therefore strictly at your own risk. European Tyre Distributors is not liable for any loss or damage arising from the use of this brochure.



**IT'S
GOOD
TO BE
THE
KING!**

KING OF TYRES

ATTITUDE IS THE PRODUCT OF BELIEF



ETD - YOUR WHOLESALE FOR THE COMPLETE PACKAGE

European Tyre Distributors B.V. (ETD) specializes in the import of Asian tyres for the European market, with the brands LEAO and Security as its flagships. Due to the well-established partnerships with top Asian manufacturers ETD can guarantee the quick supply of high quality products straight from Asia or from ETD's 20.000 m² of warehouses near Rotterdam, the Netherlands.

While ETD's core business is tyres, in all different ranges and sizes, they also offer a good selection of accompanying products such as tubes and wheels. ETD therefore is a reliable partner in TBR, AGR, OTR, PCR but also in niche markets such as trailer, industrial and crossply tyres.

Next to their substantial range, ETD is also known for its great service. With forty years of experience they are able to provide the best advice tailored to the customers' specific requests.

Overall, European Tyre Distributors stands for a large range of quality tyres, competitive prices and a level of service that surpasses international competition.

CONTACT

European Tyre Distributors B.V.
P.O. Box 5722, 3291 AA Strijen, The Netherlands
Industriestraat 12, 3291 CC Strijen, The Netherlands

Tel: +31 (0)78 629 1210
Email: sales@etd.nl
www.etd.nl